

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS I1145-6 REV A, AND
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA145-5 REV N/C
REF. TCCA STC: SH21-24
REF. EASA STC: 10077436
REF. FAA STC: SR04694NY

1.0 PURPOSE:

The purpose of this Service Instruction is to provide clarity on the trimming of the FWD end of the girts on the P/N 646.5405/5406 fwd floats used in the 654.6700 float kits for compatibility with the Airbus Hoist Cable Guards and to provide a disposition on girts that have been trimmed with a sharp corner.

2.0 PROCEDURE:

Girt Cutouts (to be applied to both the inner and outer sides of the girt):

1. For P/N 654.5405/5406 fwd floats that have NOT been trimmed for the Airbus Hoist Cable Guards, it is acceptable to trim to the back of the FWD hole in the girt with a minimum 0.50" (13 mm) radius as shown in Figure 1. The FWD hole must be relocated 0.80" (20 mm) aft of the existing FWD hole in the girt.
2. For P/N 654.5405/5406 FWD floats that have already been trimmed per Figure 2, these must be reworked according to Figure 3 in order to introduce a minimum 0.50" (13 mm) radius in the cutout.

3.0 WEIGHT AND BALANCE:

There is negligible weight and balance change associated with these modifications.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 22.07.12
CERT. NO.: SH21-24
ISSUE NO.: 1

A	GIRT CUTOUT	AA	22.07.12
REV.	DESCRIPTION	BY	DATE
DESIGN	AA	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AA		
CHECKED	CZ	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9890	SHEET 1 OF 3
APPROVED	CZ	TITLE	SCALE
DE APPR.	DS	GIRT CUTOUT	NTS
DATE	22.07.12	COPYRIGHT © 2022 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

4.0 REFERENCE FIGURES:




FIGURE 1: REWORK TO NEW FLOATS (BOTH SIDES OF GIRT)




FIGURE 2: MODIFIED FLOATS (BY AIRBUS)

DESIGN	AA	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AA		
CHECKED	CZ	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9890	SHEET 2 OF 3
APPROVED	CZ	TITLE	SCALE
DE APPR.	DS	GIRT CUTOUT	NTS
DATE	22.07.12	COPYRIGHT © 2022 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




FIGURE 3: REWORK TO MODIFIED FLOATS (BOTH SIDES OF GIRT)

SUPERCEDED

DESIGN	AA	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AA		
CHECKED	CZ	DRAWING NO. DSI 9890	REV. A
MFG. APPR.	N/A		SHEET 3 OF 3
APPROVED	CZ	TITLE GIRT CUTOUT	SCALE
DE APPR.	DS		NTS
DATE	22.07.12	COPYRIGHT © 2022 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	